

Application No. 10/675,049

Amdt. dated 9/2/05

Reply to Office action of 6/20/2005

CLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (withdrawn - currently amended). A method for vapor phase deposition, which comprises:

vapor phase depositing components contained in a process gas flowing along a main flow direction laterally past and onto a plurality of semiconductor substrates disposed one above another at a short distance to form a stack in a process space; and

during the step of vapor phase depositing, changing the main flow direction by 180° at least once while continuing flowing laterally past the stack.

Claim 2 (withdrawn). The method according to claim 1, wherein the step of changing the main flow direction is performed by reversing the main flow direction.

Claim 3 (withdrawn). The method according to claim 1, which further comprises: orienting the main flow direction parallel

Application No. 10/675,049

Amdt. dated 9/2/05

Reply to Office action of 6/20/2005

to an axis of symmetry of a plurality of semiconductor substrates in the process space.

Claim^y 4 (withdrawn). The method according to claim 3, wherein the axis of symmetry is a rotation axis or a rotary mirror axis.

Claim 5 (withdrawn). The method according to claim 1, which further comprises: at least partially removing the process gas from the process space before performing the step of changing the main flow direction.

Claim 6 (withdrawn). The method according to claim 5, wherein the step of at least partially removing the process gas is achieved by performing at least one step selected from a group consisting of reducing a supply of the process gas into the process space, extracting the process gas from the process space, and flushing the process space with an inert gas.

Claim 7 (withdrawn). The method according to claim 1, which further comprises: after performing the step of changing the main flow direction, providing the components with a different composition and/or a different concentration in

Application No. 10/675,049
Amdt. dated 9/2/05
Reply to Office action of 6/20/2005

relation to before performing the step of changing the main flow direction.

Claim 8 (withdrawn). The method according to claim 1, wherein the components react chemically with the semiconductor substrate.

Claim 9 (withdrawn). The method according to claim 1, which further comprises: performing the step of vapor phase depositing below atmospheric pressure.

Claim 10 (withdrawn). The method according to claim 1, wherein the step of changing the main flow direction is performed in accordance with a variable time pattern.

Claim 11 (withdrawn). The method according to claim 1, which further comprises: while performing the step of vapor phase depositing, detecting a quantity and/or a distribution of the components being deposited onto the semiconductor substrate.

Claim 12 (withdrawn). The method according to claim 1, which further comprises: while performing the step of vapor phase depositing, detecting a quantity and/or a distribution of the components being deposited onto the semiconductor substrate while online.

Application No. 10/675,049

Amdt. dated 9/2/05

Reply to Office action of 6/20/2005

Claim 13 (currently amended). A furnace for vapor phase depositing components contained in a process gas onto a plurality of semiconductor substrates, the furnace comprising:

a process space for receiving the semiconductor substrates disposed one above another at a short distance to form a stack;

a first feed/discharge line connected to said process space;

a second feed/discharge line connected to said process space;

a device for producing a process gas flow, said device for producing said process gas flow connected to said first feed/discharge line and/or said second feed/discharge line causing the process gas to flow laterally past the stack defining a main flow direction;

a heating device; and

a regulating unit for regulating a magnitude of said process gas flow and for changing the main flow direction by 180° while continuing to flow laterally past the stack.

Application No. 10/675,049

Amdt. dated 9/2/05

Reply to Office action of 6/20/2005

Claim 14 (original). The furnace according to claim 13, wherein said first feed/discharge line and/or said second feed/discharge line are configured at opposite sides of said process space.

Claim 15 (previously presented). The furnace according to claim 13, wherein said regulating unit is configured for changing the main flow direction of said process gas flow at intervals in accordance with a variable time pattern.

Claim 16 (original). The furnace according to claim 13, further comprising: a measuring unit for detecting a quantity and/or a distribution of the components deposited onto the semiconductor substrate.

Claim 17 (original). The furnace according to claim 16, further comprising: a control unit connected to said measuring unit, said control unit for an online control of said device for producing a process gas flow.